

Monitoring JavaMelody on ip-10-0-10-230.ec2.internal

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
DocumentCteViewQueryService.findDocumentsWithData		292	10,884	1,060	71	11,109	0.00	2	219
select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomadora4_cnpj as tomador33_8_, documentct0_tomadora4_inscricao_estadual as tomador34_8_, documentct0_tomadora4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_type in (?, ?)) and substring(documentct0_tomadora4_cnpj, 1, 8)=? limit ?	0.08	17	63	18			0.00		
select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_where (documentwi0_key in (?,?,?, ?, ?, ?, ?, ?, ?)) and (documentwi0_data_emissao between ? and ?)	0.59	8	150	17			0.00		
select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_where (documentwi0_key in (?,?, ?, ?, ?, ?, ?, ?, ?)) and (documentwi0_type in (?, ?)) and (documentwi0_data_emissao between ? and ?)	0.03	5	7	1			0.00		
select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_where (documentwi0_key in (?,?, ?, ?, ?, ?, ?, ?, ?)) and (documentwi0_type in (?, ?)) and (documentwi0_data_emissao between ? and ?)	0.04	7	16	5			0.00		
select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_where (documentwi0_key in (?,?, ?, ?, ?, ?, ?, ?, ?)) and (documentwi0_type in (?, ?)) and (documentwi0_data_emissao between ? and ?)	0.19	49	155	46			0.00		
select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_where (documentwi0_key in (?,?, ?, ?, ?, ?, ?, ?, ?)) and (documentwi0_type in (?, ?)) and (documentwi0_data_emissao between ? and ?)	0.03	5	7	1			0.00		
select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomadora4_cnpj as tomador33_8_, documentct0_tomadora4_inscricao_estadual as tomador34_8_, documentct0_tomadora4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_type in (?, ?)) and documentct0_addressee_cnpj_cpf=? limit ?	0.23	48	125	39			0.00		
select count(*) as col_0_0_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_type in (?, ?)) and documentct0_addressee_cnpj_cpf=?	0.10	81	310	82			0.00		
select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomadora4_cnpj as tomador33_8_, documentct0_tomadora4_inscricao_estadual as tomador34_8_, documentct0_tomadora4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_key in (??)) and (documentct0_type in (?, ?)) and documentct0_addressee_cnpj_cpf=? limit ?	0.03	16	21	5			0.00		

Monitoring JavaMelody on _ip-10-0-10-230.ec2.internal

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_ where documentct0_remetente_cnpj_cpf=? and documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_type in (?, ?)) and documentct0_addressee_cnpj_cpf=? limit ?	0.01	1,002	1,002	0			0.00		
 select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_ where (documentwi0_key in (?, ?, ?, ?)) and (documentwi0_type in (?, ?)) and (documentwi0_data_emissao between ? and ?)	0.01	8	8	0			0.00		
 select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_ where (documentwi0_key in (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)) and (documentwi0_type in (?, ?)) and (documentwi0_data_emissao between ? and ?)	0.02	11	17	4			0.00		
 select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_ where (documentwi0_key in (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)) and (documentwi0_type in (?, ?)) and (documentwi0_data_emissao between ? and ?)	0.01	11	11	0			0.00		
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_ where documentct0_cnpj_issuer=? and (documentct0_tipo_cte in (??)) and documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_type in (?, ?)) and documentct0_addressee_cnpj_cpf=? limit ?	0.01	19	30	15			0.00		
 select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_ where (documentwi0_key in (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)) and (documentwi0_type in (?, ?)) and (documentwi0_data_emissao between ? and ?)	0.01	5	6	0			0.00		
 select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_ where (documentwi0_key in (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)) and (documentwi0_type in (?, ?)) and (documentwi0_data_emissao between ? and ?)	0.01	9	9	0			0.00		
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_ where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_key in (??)) and (documentct0_type in (?, ?)) and documentct0_tomador4_cnpj=? limit ?	0.02	7	12	4			0.00		

Monitoring JavaMelody on _ip-10-0-10-230.ec2.internal

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_key in (?)) and (documentct0_type in (? , ?)) and documentct0_cnpj_cpf_remetente=? limit ?	0.01	8	12	4			0.00		
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where documentct0_numero_cte=? and documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_type in (? , ?)) and documentct0_addressee_cnpj_cpf=? limit ?	0.01	1,018	1,018	0			0.00		
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_type in (? , ?)) and documentct0_tomador4_cnpj=? limit ?	0.06	322	2,100	689			0.00		
 select count(*) as col_0_0_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_type in (? , ?)) and documentct0_tomador4_cnpj=?	0.04	234	854	319			0.00		

Monitoring JavaMelody on ip-10-0-10-230.ec2.internal

[illegible]

Monitoring JavaMelody on ip-10-0-10-230.ec2.internal

[illegible]

Monitoring JavaMelody on _ip-10-0-10-230.ec2.internal

[illegible]

Monitoring JavaMelody on _ip-10-0-10-230.ec2.internal

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_key in (?)) and (documentct0_type in (? , ?)) and documentct0_cnpj_issuer=? limit ?	0.01	11	11	0			0.00		
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_key in (?)) and (documentct0_type in (? , ?)) and substring(documentct0_tomador4_cnpj, 1, 8)=? limit ?	0.01	11	11	0			0.00		
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_key in (?)) and (documentct0_type in (? , ?)) and substring(documentct0_addressee_cnpj_cpf, 1, 8)=? limit ?	0.01	22	32	13			0.00		
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_key in (?)) and (documentct0_type in (? , ?)) and substring(documentct0_cnpj_issuer, 1, 8)=? limit ?	0.01	11	11	0			0.00		

Monitoring JavaMelody on _ip-10-0-10-230.ec2.internal

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
 select documentct0_.cnpj_issuer as cnpj_iss1_8_, documentct0_.type as type2_8_, documentct0_.key as key3_8_, documentct0_.nsu as nsu4_8_, documentct0_.protocol as protocol5_8_, documentct0_.addressee_cnpj_cpf as addresse6_8_, documentct0_.addressee_inscricao_estadual as addresse7_8_, documentct0_.addressee_name as addresse8_8_, documentct0_.available_at as availabl9_8_, documentct0_.canceled_at as cancel10_8_, documentct0_.cnpj_carrier as cnpj_ca11_8_, documentct0_.cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_.data_emissao as data_em13_8_, documentct0_.expedidor_cnpj as expedid14_8_, documentct0_.expedidor_inscricao_estadual as expedid15_8_, documentct0_.expedidor_nome as expedid16_8_, documentct0_.issuer_inscricao_estadual as issuer_17_8_, documentct0_.issuer_name as issuer_18_8_, documentct0_.manifestation as manifes19_8_, documentct0_.name_file as name_fi20_8_, documentct0_.numero_cte as numero_21_8_, documentct0_.recebedor_cnpj_cpf as recebed22_8_, documentct0_.recebedor_inscricao_estadual as recebed23_8_, documentct0_.recebedor_nome as recebed24_8_, documentct0_.remetente_cnpj_cpf as remeten25_8_, documentct0_.remetente_inscricao_estadual as remeten26_8_, documentct0_.remetente_nome as remeten27_8_, documentct0_.schema as schema28_8_, documentct0_.serial as serial29_8_, documentct0_.status as status30_8_, documentct0_.tipo_cte as tipo_ct31_8_, documentct0_.tipo_tomador_servico as tipo_to32_8_, documentct0_.tomador4_cnpj as tomador33_8_, documentct0_.tomador4_inscricao_estadual as tomador34_8_, documentct0_.tomador4_nome as tomador35_8_, documentct0_.value as value36_8_ from public.document_cte_view documentct0_ where documentct0_.data_emissao<=? and documentct0_.data_emissao>=? and (documentct0_.key in (?)) and (documentct0_.type in (? , ?)) and substring(documentct0_.cnpj_cpf_remetente, 1, 8)=? limit ?	0.01	19	27	11			0.00		

Monitoring JavaMelody on _ip-10-0-10-230.ec2.internal

[illegible]

Monitoring JavaMelody on ip-10-0-10-230.ec2.internal

[illegible]

[illegible]

Monitoring JavaMelody on ip-10-0-10-230.ec2.internal


[illegible]

Monitoring JavaMelody on ip-10-0-10-230.ec2.internal

[illegible]

Monitoring JavaMelody on _ip-10-0-10-230.ec2.internal

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where (documentct0_tipo_cte in (?, ?)) and documentct0_numero_cte=? and documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_type in (??)) and documentct0_addressee_cnpj_cpf=? limit ?	0.01	7	7	0			0.00		
 select documentct0_cnpj_issuer as cnpj_iss1_8_, documentct0_type as type2_8_, documentct0_key as key3_8_, documentct0_nsu as nsu4_8_, documentct0_protocol as protocol5_8_, documentct0_addressee_cnpj_cpf as adresse6_8_, documentct0_addressee_inscricao_estadual as adresse7_8_, documentct0_addressee_name as adresse8_8_, documentct0_available_at as availabl9_8_, documentct0_canceled_at as cancel10_8_, documentct0_cnpj_carrier as cnpj_ca11_8_, documentct0_cnpj_cpf_remetente as cnpj_cp12_8_, documentct0_data_emissao as data_em13_8_, documentct0_expedidor_cnpj as expedid14_8_, documentct0_expedidor_inscricao_estadual as expedid15_8_, documentct0_expedidor_nome as expedid16_8_, documentct0_issuer_inscricao_estadual as issuer_17_8_, documentct0_issuer_name as issuer_18_8_, documentct0_manifestation as manifes19_8_, documentct0_name_file as name_fi20_8_, documentct0_numero_cte as numero_21_8_, documentct0_recebedor_cnpj_cpf as recebed22_8_, documentct0_recebedor_inscricao_estadual as recebed23_8_, documentct0_recebedor_nome as recebed24_8_, documentct0_remetente_cnpj_cpf as remeten25_8_, documentct0_remetente_inscricao_estadual as remeten26_8_, documentct0_remetente_nome as remeten27_8_, documentct0_schema as schema28_8_, documentct0_serial as serial29_8_, documentct0_status as status30_8_, documentct0_tipo_cte as tipo_ct31_8_, documentct0_tipo_tomador_servico as tipo_to32_8_, documentct0_tomador4_cnpj as tomador33_8_, documentct0_tomador4_inscricao_estadual as tomador34_8_, documentct0_tomador4_nome as tomador35_8_, documentct0_value as value36_8_ from public.document_cte_view documentct0_where (documentct0_tipo_cte in (?, ?)) and documentct0_numero_cte=? and documentct0_data_emissao<=? and documentct0_data_emissao>=? and (documentct0_type in (??)) and documentct0_tomador4_cnpj=? limit ?	0.01	904	1,792	1,255			0.00		



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)