




Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
 DocumentNfseViewQueryService.findDocumentNfse		32	98	35	1	224	0.00	1	25
 select documentnf0_.key as key1_16_, documentnf0_.addressee_cpfcnpj as addresse2_16_, documentnf0_.addressee_name as addresse3_16_, documentnf0_.city_name as city_nam4_16_, documentnf0_.competency_date as competen5_16_, documentnf0_.data_emissao as data_emi6_16_, documentnf0_.type as type7_16_, documentnf0_.group_type as group_ty8_16_, documentnf0_.ibge_city_code as ibge_cit9_16_, documentnf0_.imported_at as importe10_16_, documentnf0_.iss_value as iss_val11_16_, documentnf0_.issuer_cpfcnpj as issuer_12_16_, documentnf0_.issuer_name as issuer_13_16_, documentnf0_.name_file as name_fi14_16_, documentnf0_.number as number15_16_, documentnf0_.opcao_simples as opcao_s16_16_, documentnf0_.opting_simple as opting_17_16_, documentnf0_.other_information as other_i18_16_, documentnf0_.rps_number as rps_num19_16_, documentnf0_.rps_serie as rps_ser20_16_, documentnf0_.service_code as service21_16_, documentnf0_.service_description as service22_16_, documentnf0_.status as status23_16_, documentnf0_.uf_initial as uf_init24_16_, documentnf0_.value as value25_16_, documentnf0_.verification_code as verifc26_16_ from public.document_nfse_view documentnf0_ where documentnf0_.data_emissao<=? and documentnf0_.data_emissao>=? and documentnf0_.group_type=? and documentnf0_.addressee_cpfcnpj=? order by documentnf0_.data_emissao desc limit ?	1.00	25	92	30			0.00		



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)