


Monitoring JavaMelody on _ip-10-0-13-96.ec2.internal

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
 GeradorPdfNfeServiceImpl.generatePdfByKey		155	1,266	144	51	42,774	0.00	3	99
 select documentnf0_.cnpj_issuer as cnpj_iss1_15_, documentnf0_.type as type2_15_, documentnf0_.key as key3_15_, documentnf0_.nsu as nsu4_15_, documentnf0_.protocol as protocol5_15_, documentnf0_.addressee_name as addresse6_15_, documentnf0_.available_at as availabi7_15_, documentnf0_.canceled_at as canceled8_15_, documentnf0_.carta_correcao as carta_co9_15_, documentnf0_.cce_events as cce_eve10_15_, documentnf0_.cfops as cfops11_15_, documentnf0_.chaves_cte_associadas_sistema as chaves_12_15_, documentnf0_.cnpj as cnpj13_15_, documentnf0_.cnpj_addressee as cnpj_ad14_15_, documentnf0_.cnpj_carrier as cnpj_ca15_15_, documentnf0_.data as data16_15_, documentnf0_.data_emissao as data_em17_15_, documentnf0_.duplicatas as duplica18_15_, documentnf0_.etiquetas as etiquet19_15_, documentnf0_.fatura as fatura20_15_, documentnf0_.issuer_name as issuer_21_15_, documentnf0_.manifestation as manifes22_15_, documentnf0_.name_file as name_fi23_15_, documentnf0_.nfe_number as nfe_num24_15_, documentnf0_.notas_referencia as notas_r25_15_, documentnf0_.status as status26_15_, documentnf0_.value as value27_15_ from public.document_nfe_view documentnf0_ where documentnf0_.key=? and (documentnf0_.type in (?, ?, ?))	1.00	88	255	45			0.00		
 select documentwi0_.key as key3_4_, documentwi0_.data as data10_4_, documentwi0_.data_emissao as data_em11_4_, documentwi0_.type as type2_4_ from public.document documentwi0_ where documentwi0_.key=? and documentwi0_.type=? and (documentwi0_.data_emissao between ? and ?)	1.00	7	32	3			0.00		
 select canhotonot0_.id as id1_28_, canhotonot0_.canhoto_importacao_id as canhoto_6_28_, canhotonot0_.created_at as created_2_28_, canhotonot0_.documento_chave as document3_28_, canhotonot0_.empresa_cnpj as empresa_4_28_, canhotonot0_.numero_nota as numero_n5_28_ from canhoto_nota canhotonot0_ left outer join canhoto_importacao canhotoimp1_ on canhotonot0_.canhoto_importacao_id=canhotoimp1_.id where canhotonot0_.documento_chave=? and (canhotoimp1_.status in (?, ?))	1.00	3	22	2			0.00		



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)