
## Monitoring JavaMelody on \_ip-10-0-4-223.ec2.internal

| Request   | Hits by parent request | Mean time<br>(ms) | Max time<br>(ms) | Standard deviation | Mean cpu<br>time (ms) | Mean<br>allocated Kb | % of system<br>error | Mean hits<br>sql | Mean time<br>sql (ms) |
|---|------------------------|-------------------|------------------|--------------------|-----------------------|----------------------|----------------------|------------------|-----------------------|
| ✓ DocumentService.findSpedsByCnpjAndAnoInicial  |                        | 419               | 873              | 357                | 7                     | 3,279                | 0.00                 | 1                | 409                   |
| eselect key, type, cast(data->'header'->>'startsDate' as date) as periodo, cast(data->'header'->>'endsDate' as date) as periodo final, cast(data->'header'->>'startsDate' as date) as periodolnicial, case when data->'header'->>'indNatPj' <> " then cast(data->'header'->>'indNatPj as numeric) end as indicadorNaturezaPessoaJuridica, cast(data->'header'->>'edType' as text) as ecdType, name_file as nameFile, cnpj, cast(data->'header'->>'deliveryDate' as timestamp) as deliveryDate from document where cnpj = ? AND type in ('SPED_ECD','SPED_EFD_CONTRIBUICOES','SPED_EFD_ICMS_IPI') AND data_emissao between ? and NOW() | 1.00                   | 409               | 855              | 356                |                       |                      | 0.00                 |                  |                       |



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 100000)