


Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
 DocumentNfeViewQueryService.findDocumentsNfeViewWithData		57	190	29	4	3,043	0.00	1	48
 select documentnf0_.cnpj_issuer as cnpj_iss1_15_, documentnf0_.type as type2_15_, documentnf0_.key as key3_15_, documentnf0_.nsu as nsu4_15_, documentnf0_.protocol as protocol5_15_, documentnf0_.addressee_name as addresse6_15_, documentnf0_.available_at as availabl7_15_, documentnf0_.canceled_at as canceled8_15_, documentnf0_.carta_correcao as carta_co9_15_, documentnf0_.cce_events as cce_eve10_15_, documentnf0_.cfops as cfops11_15_, documentnf0_.cnpj as cnpj12_15_, documentnf0_.cnpj_addressee as cnpj_ad13_15_, documentnf0_.cnpj_carrier as cnpj_ca14_15_, documentnf0_.cte_key as cte_key15_15_, documentnf0_.data as data16_15_, documentnf0_.data_emissao as data_em17_15_, documentnf0_.duplicatas as duplica18_15_, documentnf0_.etiquetas as etiquet19_15_, documentnf0_.fatura as fatura20_15_, documentnf0_.issuer_name as issuer_21_15_, documentnf0_.manifestation as manifes22_15_, documentnf0_.name_file as name_fi23_15_, documentnf0_.nfe_number as nfe_num24_15_, documentnf0_.notas_referencia as notas_r25_15_, documentnf0_.status as status26_15_, documentnf0_.value as value27_15_ from public.document_nfe_view documentnf0_ where documentnf0_.data_emissao<=? and documentnf0_.data_emissao>=? and (documentnf0_.type in (?, ?, ?)) and documentnf0_.cnpj_addressee=? order by documentnf0_.data_emissao desc limit ?	0.07	234	11,834	647			0.00		
 select count(*) as col_0_0_ from public.document_nfe_view documentnf0_ where documentnf0_.data_emissao<=? and documentnf0_.data_emissao>=? and (documentnf0_.type in (?, ?, ?)) and documentnf0_.cnpj_addressee=?	0.07	8	82	7			0.00		
 select documentnf0_.cnpj_issuer as cnpj_iss1_15_, documentnf0_.type as type2_15_, documentnf0_.key as key3_15_, documentnf0_.nsu as nsu4_15_, documentnf0_.protocol as protocol5_15_, documentnf0_.addressee_name as addresse6_15_, documentnf0_.available_at as availabl7_15_, documentnf0_.canceled_at as canceled8_15_, documentnf0_.carta_correcao as carta_co9_15_, documentnf0_.cce_events as cce_eve10_15_, documentnf0_.cfops as cfops11_15_, documentnf0_.cnpj as cnpj12_15_, documentnf0_.cnpj_addressee as cnpj_ad13_15_, documentnf0_.cnpj_carrier as cnpj_ca14_15_, documentnf0_.cte_key as cte_key15_15_, documentnf0_.data as data16_15_, documentnf0_.data_emissao as data_em17_15_, documentnf0_.duplicatas as duplica18_15_, documentnf0_.etiquetas as etiquet19_15_, documentnf0_.fatura as fatura20_15_, documentnf0_.issuer_name as issuer_21_15_, documentnf0_.manifestation as manifes22_15_, documentnf0_.name_file as name_fi23_15_, documentnf0_.nfe_number as nfe_num24_15_, documentnf0_.notas_referencia as notas_r25_15_, documentnf0_.status as status26_15_, documentnf0_.value as value27_15_ from public.document_nfe_view documentnf0_ where documentnf0_.data_emissao<=? and documentnf0_.data_emissao>=? and (documentnf0_.type in (?, ?, ?)) and documentnf0_.cnpj_addressee=? order by documentnf0_.data_emissao desc limit ? offset ?	0.07	56	85	15			0.00		
 select documentnf0_.cnpj_issuer as cnpj_iss1_15_, documentnf0_.type as type2_15_, documentnf0_.key as key3_15_, documentnf0_.nsu as nsu4_15_, documentnf0_.protocol as protocol5_15_, documentnf0_.addressee_name as addresse6_15_, documentnf0_.available_at as availabl7_15_, documentnf0_.canceled_at as canceled8_15_, documentnf0_.carta_correcao as carta_co9_15_, documentnf0_.cce_events as cce_eve10_15_, documentnf0_.cfops as cfops11_15_, documentnf0_.cnpj as cnpj12_15_, documentnf0_.cnpj_addressee as cnpj_ad13_15_, documentnf0_.cnpj_carrier as cnpj_ca14_15_, documentnf0_.cte_key as cte_key15_15_, documentnf0_.data as data16_15_, documentnf0_.data_emissao as data_em17_15_, documentnf0_.duplicatas as duplica18_15_, documentnf0_.etiquetas as etiquet19_15_, documentnf0_.fatura as fatura20_15_, documentnf0_.issuer_name as issuer_21_15_, documentnf0_.manifestation as manifes22_15_, documentnf0_.name_file as name_fi23_15_, documentnf0_.nfe_number as nfe_num24_15_, documentnf0_.notas_referencia as notas_r25_15_, documentnf0_.status as status26_15_, documentnf0_.value as value27_15_ from public.document_nfe_view documentnf0_ where documentnf0_.data_emissao<=? and documentnf0_.data_emissao>=? and (documentnf0_.type in (?, ?, ?)) and substring(documentnf0_.cnpj_addressee, 1, 8)=? order by documentnf0_.data_emissao desc limit ?	0.01	421	3,766	1,176			0.00		

Monitoring JavaMelody on ip-10-0-4-223.ec2.internal

[illegible]

Monitoring JavaMelody on _ip-10-0-4-223.ec2.internal

[illegible]



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)