


Monitoring JavaMelody on _ip-10-0-4-223.ec2.internal

Request	Hits by parent request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	Mean allocated Kb	% of system error	Mean hits sql	Mean time sql (ms)
DocumentCfeViewQueryService.findDocumentsWithData		140	361	102	3	1,190	0.00	2	136
select documentcf0_cnpj_issuer as cnpj_iss1_6_, documentcf0_type as type2_6_, documentcf0_key as key3_6_, documentcf0_nsu as nsu4_6_, documentcf0_protocol as protocol5_6_, documentcf0_cnpj as cnpj6_6_, documentcf0_addressee_cnpj as addresse7_6_, documentcf0_addressee_name as addresse8_6_, documentcf0_addressee_type as addresse9_6_, documentcf0_cfe_type as cfe_typ10_6_, documentcf0_coupon_number as coupon_11_6_, documentcf0_data_emissao as data_em12_6_, documentcf0_imported_at as importe13_6_, documentcf0_issuer_cnpj as issuer_14_6_, documentcf0_issuer_name as issuer_15_6_, documentcf0_name_file as name_fi16_6_, documentcf0_serie_sat as serie_s17_6_, documentcf0_status as status18_6_, documentcf0_valor as valor19_6_ from public.document_cfe_view documentcf0_where documentcf0_data_emissao <=? and documentcf0_data_emissao >=? and (documentcf0_type in (?, ?, ?, ?, ?)) and documentcf0_cnpj_issuer=? order by documentcf0_data_emissao desc limit ?	1.00	107	315	89			0.00		
select count(*) as col_0_0_ from public.document_cfe_view documentcf0_where documentcf0_data_emissao <=? and documentcf0_data_emissao >=? and (documentcf0_type in (?, ?, ?, ?, ?)) and documentcf0_cnpj_issuer=?	0.77	10	23	5			0.00		
select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_where ((documentwi0_key in (?, ?), ?, ?, ?)) and (documentwi0_type in (?, ?, ?, ?, ?, ?, ?)) and (documentwi0_data_emissao between ? and ?)	0.77	24	34	5			0.00		
select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_where ((documentwi0_key in (?)) and (documentwi0_type in (?, ?, ?, ?, ?, ?, ?)) and (documentwi0_data_emissao between ? and ?))	0.18	2	3	0			0.00		
select documentwi0_key as key3_4_, documentwi0_data as data10_4_, documentwi0_data_emissao as data_em11_4_, documentwi0_type as type2_4_ from public.document documentwi0_where ((documentwi0_key in (?, ?), ?, ?, ?)) and (documentwi0_type in (?, ?, ?, ?, ?, ?, ?)) and (documentwi0_data_emissao between ? and ?)	0.05	31	31	0			0.00		



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)