

Monitoring JavaMelody on _ip-10-0-7-226.ec2.internal

Request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	% of system error
 select documentnf0_cnpj_issuer as cnpj_iss1_14_, documentnf0_type as type2_14_, documentnf0_key as key3_14_, documentnf0_nsu as nsu4_14_, documentnf0_protocol as protocol5_14_, documentnf0_addressee_name as addresse6_14_, documentnf0_available_at as availabl7_14_, documentnf0_canceled_at as canceled8_14_, documentnf0_carta_correcao as carta_co9_14_, documentnf0_cce_events as cce_eve10_14_, documentnf0_cfops as cfops11_14_, documentnf0_cnpj as cnpj12_14_, documentnf0_cnpj_addressee as cnpj_ad13_14_, documentnf0_cnpj_carrier as cnpj_ca14_14_, documentnf0_data as data15_14_, documentnf0_data_emissao as data_em16_14_, documentnf0_duplicatas as duplica17_14_, documentnf0_etiquetas as etiquet18_14_, documentnf0_fatura as fatura19_14_, documentnf0_issuer_name as issuer_20_14_, documentnf0_manifestation as manifes21_14_, documentnf0_name_file as name_fi22_14_, documentnf0_nfe_number as nfe_num23_14_, documentnf0_notas_referencia as notas_r24_14_, documentnf0_status as status25_14_, documentnf0_value as value26_14_ from public.document_nfe_view documentnf0_ where (exists (select etiquetado1_chave_nfe from etiqueta_documento etiquetado1_ where etiquetado1_chave_nfe=documentnf0_key and (etiquetado1_id_etiqueta_atual in (11 , 9 , 6 , 8 , 14 , 10 , 4 , 12 , 7))) or not (exists (select etiquetado2_chave_nfe from etiqueta_documento etiquetado2_ where etiquetado2_chave_nfe=documentnf0_key))) and (documentnf0_carta_correcao is null) and documentnf0_nfe_number=? and documentnf0_data_emissao<=? and documentnf0_data_emissao>=? and (documentnf0_type in (? , ? , ?)) and documentnf0_cnpj_addressee=? order by documentnf0_data_emissao desc limit ?	2,259	3,578	1,454		0.00