Monitoring JavaMelody on _ip-10-0-7-226.ec2.internal

Request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	% of system error
select documentcf0_.cnpj_issuer as cnpj_iss1_6_, documentcf0_.type as type2_6_, documentcf0_.key as key3_6_, documentcf0_.nsu as nsu4_6_, documentcf0_.protocol as protocol5_6_, documentcf0_.cnpj as cnpj6_6_, documentcf0_.addressee_cnpj as addresse7_6_, documentcf0_.addressee_name as addresse8_6_, documentcf0_.addressee_type as addresse9_6_, documentcf0_.cfe_type as cfe_typ10_6_, documentcf0_.coupon_number as coupon_11_6_, documentcf0_.data_emissao as data_em12_6_, documentcf0_.imported_at as importe13_6_, documentcf0_.issuer_cnpj as issuer_14_6_, documentcf0_.issuer_name as issuer_15_6_, documentcf0_.name_file as name_fi16_6_, documentcf0_.serie_sat as serie_s17_6_, documentcf0_.status as status18_6_, documentcf0_.valor as valor19_6_ from public.document_cfe_view documentcf0_ where documentcf0_.data_emissao<=? and documentcf0_.data_emissao>=? and (documentcf0_.key in (?, ?, ?,