## Monitoring JavaMelody on \_ip-10-0-6-29.ec2.internal

Request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	% of system error
select documentnf0cnpj_issuer as cnpj_iss1_15_, documentnf0type as type2_15_, documentnf0key as key3_15_, documentnf0nsu	28,366	113,234	56,578		0.00
as nsu4_15_, documentnf0protocol as protocol5_15_, documentnf0addressee_name as addresse6_15_, documentnf0available_at as					
availabl7_15_, documentnf0canceled_at as canceled8_15_, documentnf0carta_correcao as carta_co9_15_, documentnf0cce_events as					
cce_eve10_15_, documentnf0cfops as cfops11_15_, documentnf0chaves_cte_associadas_sistema as chaves_12_15_,					
documentnf0cnpj as cnpj13_15_, documentnf0cnpj_addressee as cnpj_ad14_15_, documentnf0cnpj_carrier as cnpj_ca15_15_,					
documentnf0data as data16_15_, documentnf0data_emissao as data_em17_15_, documentnf0duplicatas as duplica18_15_,					
documentnf0etiquetas as etiquet19_15_, documentnf0fatura as fatura20_15_, documentnf0issuer_name as issuer_21_15_,					
documentnf0manifestation as manifes22_15_, documentnf0name_file as name_fi23_15_, documentnf0nfe_number as nfe_num24_15_,					
documentnf0notas_referencia as notas_r25_15_, documentnf0status as status26_15_, documentnf0value as value27_15_ from					
public.document_nfe_view documentnf0_ where documentnf0nfe_number=? and (upper(documentnf0issuer_name) like ?) and					
documentnf0data_emissao<=? and documentnf0data_emissao>=? and (documentnf0type in (?,?,?)) and					
substring(documentnf0cnpj_addressee, 1, 8)=? order by documentnf0data_emissao desc limit ?					