Request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	% of system error
select documentnf0_.cnpj_issuer as cnpj_iss1_15_, documentnf0_.type as type2_15_, documentnf0_.key as key3_15_, documentnf0_.nsu as nsu4_15_, documentnf0_.protocol as protocol5_15_, documentnf0_.addressee_name as addresse6_15_, documentnf0_.available_at as availabl7_15_, documentnf0_.canceled_at as canceled8_15_, documentnf0_.carta_correcao as carta_co9_15_, documentnf0_.cce_events as cce_eve10_15_, documentnf0_.cfops as cfops11_15_, documentnf0_.chaves_cte_associadas_sistema as chaves_12_15_, documentnf0_.cnpj as cnpj13_15_, documentnf0_.cnpj_addressee as cnpj_ad14_15_, documentnf0_.cnpj_carrier as cnpj_ca15_15_, documentnf0_.data as data16_15_, documentnf0_.data_emissao as data_em17_15_, documentnf0_.duplicatas as duplica18_15_, documentnf0_.etiquetas as etiquet19_15_, documentnf0_.fatura as fatura20_15_, documentnf0_.issuer_name as issuer_21_15_, documentnf0_.manifestation as manifes22_15_, documentnf0_.name_file as name_fi23_15_, documentnf0_.nfe_number as nfe_num24_15_, documentnf0_.notas_referencia as notas_r25_15_, documentnf0_.status as status26_15_, documentnf0_.value as value27_15_ from public.document_nfe_view documentnf0_ where documentnf0_.nfe_number=? and (upper(documentnf0_.issuer_name) like ?) and documentnf0_.data_emissao<=? and documentnf0_.data_emissao>=? and (documentnf0_.type in (? , ? , ?)) and documentnf0_.cnpj_addressee=? order by documentnf0_.nfe_number asc limit ?	33	36	3		0.00

The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)