


Request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	% of system error
 SELECT SUM(CAST(d.data ->'nfe'->'infNFe'->'cobr'->'fat'->'vliq' AS NUMERIC)) AS total_valor_liquido, SUM(CAST(d.data ->'nfe'->'infNFe'->'cobr'->'fat'->'vdesc' AS NUMERIC)) AS total_valor_desconto, SUM(CAST(d.data ->'nfe'->'infNFe'->'cobr'->'fat'->'vorig' AS NUMERIC)) AS total_valor_origem, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'vnt' AS NUMERIC)) AS total_vnt, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'vbc' AS NUMERIC)) AS total_vbc, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'vbcst' AS NUMERIC)) AS total_vbcst, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'vst' AS NUMERIC)) AS total_vst, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'vprod' AS NUMERIC)) AS total_vprod, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'vpi' AS NUMERIC)) AS total_vpi, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'vpi' AS NUMERIC)) AS total_vpi, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'vcofins' AS NUMERIC)) AS total_vcofins, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'voutro' AS NUMERIC)) AS total_voutro, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'vcm' AS NUMERIC)) AS total_vcms, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->'vfrete' AS NUMERIC)) AS total_frete FROM document d INNER JOIN document_status ds ON d.key = ds.key and d.cnpi_issuer = ds.cnpi_issuer and d.protocol = ds.protocol and d.nsu = ds.nsu and d.type = ds.type WHERE d.cnpi_addressee = ? and d.type IN (?, ?, ?) and d.data_emissao between ? and ? and d.data ->'chaveNfe' = ? and ds.status IN (?) and (COALESCE((SELECT CASE WHEN ds.manifestation IS NOT NULL THEN ds.manifestation WHEN (item.historico ->'eventCode') = ANY (ARRAY['210200', '210210', '210220', '210240']) THEN (item.historico ->'eventCode') WHEN regexp_replace(item.historico ->'description', '[^0-9]', '', 'gi') = ANY (ARRAY['210200', '210210', '210220', '210240']) THEN regexp_replace(item.historico ->'description', '[^0-9]', '', 'gi') ELSE NULL END AS case FROM jsonb_array_elements(ds.history) WITH ORDINALITY item(historico, ordinality) WHERE (item.historico ->'eventCode') = ANY (ARRAY['NFE_EVENT_MANIFESTATION', 'NFE_EVENT']) ORDER BY (item.historico ->'eventAt') DESC LIMIT 1), ds.manifestation) IN (?))	9	17	3		0.00



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)