

Request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	% of system error
 /*+ Set(parallel_setup_cost 1000000) Set(parallel_tuple_cost 1000000) */ SELECT d.cnpi_issuer as cnpi, to_date(to_char(d.data_emissao, 'yyyy-MM-dd'), 'yyyy-MM-dd') as dataEmissao, d.key AS chaveNfe, d.data -> 'nfe' -> 'infNFe' -> 'ide' -> 'nnf AS numeroNfe, item.produto -> 'prod' -> 'cprod' as codigoProduto, item.produto -> 'prod' -> 'xprod' AS descricaoProduto, item.produto -> 'prod' -> 'ncm' as codigoNcm, item.produto -> 'prod' -> 'cfop' as cfop, CAST(item.produto -> 'prod' -> 'vprod' AS NUMERIC) as valorProduto FROM document d ,jsonb_array_elements(d.data -> 'nfe' -> 'infNFe' -> 'det') WITH ORDINALITY item(produto) WHERE d.cnpi_issuer IN (?) AND d.type IN ('NFE_2_0','NFE_3_1','NFE_4_0') AND data_emissao BETWEEN ? and ? AND item.produto -> 'prod' -> 'cfop' IN ('5405', '5409') AND item.produto -> 'prod' -> 'ncm' IN (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?) ORDER BY d.key limit ? offset ?	5	6	0		0.00