


Monitoring JavaMelody on _ip-10-0-5-88.ec2.internal

Request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	% of system error
 select documentct0_.cnpj_issuer as cnpj_iss1_9_, documentct0_.type as type2_9_, documentct0_.key as key3_9_, documentct0_.nsu as nsu4_9_, documentct0_.protocol as protocol5_9_, documentct0_.addressee_cnpj_cpf as addresse6_9_, documentct0_.addressee_inscricao_estadual as addresse7_9_, documentct0_.addressee_name as addresse8_9_, documentct0_.available_at as availabl9_9_, documentct0_.canceled_at as cancel10_9_, documentct0_.chaves_nfe_associadas_sistema as chaves_11_9_, documentct0_.chaves_nfe_documento as chaves_12_9_, documentct0_.cnpj_carrier as cnpj_ca13_9_, documentct0_.cnpj_cpf_remetente as cnpj_cp14_9_, documentct0_.cst as cst15_9_, documentct0_.data_emissao as data_em16_9_, documentct0_.expedidor_cnpj as expedid17_9_, documentct0_.expedidor_inscricao_estadual as expedid18_9_, documentct0_.expedidor_nome as expedid19_9_, documentct0_.issuer_inscricao_estadual as issuer_20_9_, documentct0_.issuer_name as issuer_21_9_, documentct0_.manifestation as manifes22_9_, documentct0_.name_file as name_fi23_9_, documentct0_.numero_cte as numero_24_9_, documentct0_.picms as picms25_9_, documentct0_.recebedor_cnpj_cpf as recebed26_9_, documentct0_.recebedor_inscricao_estadual as recebed27_9_, documentct0_.recebedor_nome as recebed28_9_, documentct0_.remetente_cnpj_cpf as remeten29_9_, documentct0_.remetente_inscricao_estadual as remeten30_9_, documentct0_.remetente_nome as remeten31_9_, documentct0_.schema as schema32_9_, documentct0_.serial as serial33_9_, documentct0_.status as status34_9_, documentct0_.tipo_cte as tipo_ct35_9_, documentct0_.tipo_tomador_servico as tipo_to36_9_, documentct0_.tomador4_cnpj as tomador37_9_, documentct0_.tomador4_inscricao_estadual as tomador38_9_, documentct0_.tomador4_nome as tomador39_9_, documentct0_.value as value40_9_, documentct0_.vbc as vbc41_9_, documentct0_.vicms as vicms42_9_ from public.document_cte_view documentct0_ where (documentct0_.status in (?)) and documentct0_.numero_cte=? and documentct0_.data_emissao<=? and documentct0_.data_emissao>=? and (documentct0_.key in (? , ? , ?)) and (documentct0_.type in (? , ?)) and documentct0_.addressee_cnpj_cpf=? limit ?	9	20	6		0.00



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)