Monitoring JavaMelody on _ip-10-0-4-210.ec2.internal

Request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	% of system error
SELECT d.data_emissao AS dataEmissao, CAST(d.info ->> 'number' AS BIGINT) AS numeroNotaFiscal , CAST(d.info ->> 'value' AS NUMERIC) AS valor, CAST(d.info ->> 'iss_value' AS NUMERIC) AS valorIss, d.cnpj_issuer AS cnpjServicoPrestado, d.cnpj_addressee AS cnpjServicoTomado FROM document d WHERE d.type like 'NFSE%' AND d.info ->> 'value' IS NOT NULL AND d.info ->> 'value' <> '' AND ((?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?) is NULL OR CAST(d.info ->> 'number' AS TEXT) IN (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)) AND (d.cnpj_issuer in (?, ?, ?) OR d.cnpj_addressee in (?, ?, ?))	179,097	179,097	0		0.00

SELECT d.data_emissao AS dataEmissao, CAST(d.info ->> 'number' AS BIGINT) AS numeroNotaFiscal , CAST(d.info ->> 'value' AS NUMERIC) AS valor, CAST(d.info ->> 'iss_value' AS NUMERIC) AS valorIss, d.cnpj_issuer AS cnpjServicoPrestado, d.cnpj_addressee AS cnpjServicoTomado FROM document d WHERE d.type like 'NFSE%' AND d.info ->> 'value' IS NOT NULL AND d.info ->> 'value' <> '' AND ((?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?) is NULL OR CAST(d.info ->> 'number' AS TEXT) IN (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)) AND (d.cnpj_issuer in (?, ?, ?) OR d.cnpj_addressee in (?, ?, ?))