

Request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	% of system error
 SELECT SUM(CAST(d.data ->'nfe'->'infNFe'->'cobr'->'fat'->>'vliq' AS NUMERIC)) AS total_valor_liquido, SUM(CAST(d.data ->'nfe'->'infNFe'->'cobr'->'fat'->>'vdesc' AS NUMERIC)) AS total_valor_desconto, SUM(CAST(d.data ->'nfe'->'infNFe'->'cobr'->'fat'->>'vorig' AS NUMERIC)) AS total_valor_origem, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'vnf' AS NUMERIC)) AS total_vnf, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'vbc' AS NUMERIC)) AS total_vbc, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'vbcsst' AS NUMERIC)) AS total_vbcsst, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'vst' AS NUMERIC)) AS total_vst, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'vprod' AS NUMERIC)) AS total_vprod, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'vipl' AS NUMERIC)) AS total_vipl, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'vpiis' AS NUMERIC)) AS total_vpiis, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'vcofins' AS NUMERIC)) AS total_vcofins, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'voutro' AS NUMERIC)) AS total_voutro, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'vicms' AS NUMERIC)) AS total_vicms, SUM(CAST(d.data ->'nfe'->'infNFe'->'total'->'icmsTot'->>'vfrete' AS NUMERIC)) AS total_frete FROM document d INNER JOIN document_status ds ON d.key = ds.key and d.cnpi_issuer = ds.cnpi_issuer and d.protocol = ds.protocol and d.nsu = ds.nsu and d.type = ds.type left join canhoto_nota cn on d.key = cn.documento_chave and d.cnpi_issuer = cn.empresa_cnpi WHERE d.cnpi_issuer = ? and d.type IN (?, ?, ?) and d.data_emissao between ? and ? and ds.status IN (?) and (COALESCE((SELECT CASE WHEN ds.manifestation IS NOT NULL THEN ds.manifestation WHEN (item.historico ->>'eventCode') = ANY (ARRAY['210200', '210210', '210220', '210240']) THEN (item.historico ->>'eventCode') WHEN regexp_replace(item.historico ->>'description', '[^0-9]', '', 'gi') = ANY (ARRAY['210200', '210210', '210220', '210240']) THEN regexp_replace(item.historico ->>'description', '[^0-9]', '', 'gi') ELSE NULL END AS case FROM jsonb_array_elements(ds.history) WITH ORDINALITY item(historico, ordinality) WHERE (item.historico ->>'eventType') = ANY (ARRAY['NFE_EVENT_MANIFESTATION', 'NFE_EVENT']) ORDER BY (item.historico ->>'eventAt') DESC LIMIT 1), ds.manifestation) is null OR COALESCE((SELECT CASE WHEN ds.manifestation IS NOT NULL THEN ds.manifestation WHEN (item.historico ->>'eventCode') = ANY (ARRAY['210200', '210210', '210220', '210240']) THEN (item.historico ->>'eventCode') WHEN regexp_replace(item.historico ->>'description', '[^0-9]', '', 'gi') = ANY (ARRAY['210200', '210210', '210220', '210240']) THEN regexp_replace(item.historico ->>'description', '[^0-9]', '', 'gi') ELSE NULL END AS case FROM jsonb_array_elements(ds.history) WITH ORDINALITY item(historico, ordinality) WHERE (item.historico ->>'eventType') = ANY (ARRAY['NFE_EVENT_MANIFESTATION', 'NFE_EVENT']) ORDER BY (item.historico ->>'eventAt') DESC LIMIT 1), ds.manifestation) IN (?))	292	292	0		0.00