


Monitoring JavaMelody on _ip-10-0-9-199.ec2.internal

Request	Mean time (ms)	Max time (ms)	Standard deviation	Mean cpu time (ms)	% of system error
 select documentct0_cnpi_issuer as cnpi_iss1_9_, documentct0_type as type2_9_, documentct0_key as key3_9_, documentct0_nsu as nsu4_9_, documentct0_protocol as protocolo5_9_, documentct0_addressee_cnpi_cpf as adresse6_9_, documentct0_addressee_inscricao_estadual as adresse7_9_, documentct0_addressee_name as adresse8_9_, documentct0_available_at as availabl9_9_, documentct0_canceled_at as cancel10_9_, documentct0_chaves_nfe_associadas_sistema as chaves_11_9_, documentct0_chaves_nfe_documento as chaves_12_9_, documentct0_cnpi_carrier as cnpi_ca13_9_, documentct0_cnpi_cpf_remetente as cnpi_cp14_9_, documentct0_cst as cst15_9_, documentct0_data_emissao as data_em16_9_, documentct0_expedidor_cnpi as expedid17_9_, documentct0_expedidor_inscricao_estadual as expedid18_9_, documentct0_expedidor_nome as expedid19_9_, documentct0_issuer_inscricao_estadual as issuer_20_9_, documentct0_issuer_name as issuer_21_9_, documentct0_manifestation as manifes22_9_, documentct0_name_file as name_fi23_9_, documentct0_numero_cte as numero_24_9_, documentct0_picms as picms25_9_, documentct0_recebedor_cnpi_cpf as recebed26_9_, documentct0_recebedor_inscricao_estadual as recebed27_9_, documentct0_recebedor_nome as recebed28_9_, documentct0_remetente_cnpi_cpf as remeten29_9_, documentct0_remetente_inscricao_estadual as remeten30_9_, documentct0_remetente_nome as remeten31_9_, documentct0_schema as schema32_9_, documentct0_serial as serial33_9_, documentct0_status as status34_9_, documentct0_tipo_cte as tipo_ct35_9_, documentct0_tipo_tomador_servico as tipo_to36_9_, documentct0_tomador4_cnpi as tomador37_9_, documentct0_tomador4_inscricao_estadual as tomador38_9_, documentct0_tomador4_nome as tomador39_9_, documentct0_value as value40_9_, documentct0_vbc as vbc41_9_, documentct0_vicms as vicms42_9_ from public.document_cte_view documentct0_ where documentct0_key=? and (documentct0_type in (?, ?)) and (documentct0_data_emissao between ? and ?)	5	10	1		0.00



The units of the values are "m" for milli (1 / 1000), "k" for kilo/thousands, "M" for mega/millions, "G" for giga/billions and "u" for micro (1 / 1000000)